

---

# **shibboleth-authenticator**

## **Documentation**

***Release 0.1a7.dev15092017***

**HZDR**

**Sep 15, 2017**



---

## Contents

---

<b>1 Installation</b>	<b>3</b>
1.1 Requirements . . . . .	3
1.2 Shibboleth-Authenticator . . . . .	3
1.3 Contents . . . . .	3
1.4 User's Guide . . . . .	3
1.5 API Reference . . . . .	4



Module for Invenio that provides authentication via shibboleth.



# CHAPTER 1

---

## Installation

---

## Requirements

The python3-saml module uses `xmlsec`, which offers Python bindings for the XML Security Library. `xmlsec` depends on `libxml2-dev` and `libxmlsec1-dev`. These libraries can be installed via the package manager of your distribution. For Ubuntu use:

```
$ sudo apt install libxml2-dev libxmlsec1-dev
```

## Shibboleth-Authenticator

Shibboleth-Authenticator module can be installed via PyPI:

```
$ pip install shibboleth-authenticator
```

Or the latest development branch directly from GitHub:

```
$ pip install git+git://github.com/tobiasfrust/shibboleth-authenticator@master
```

## Contents

## User's Guide

This part of the documentation will show you how to get started in using Shibboleth-Authenticator module for Invenio.

## Installation

### Requirements

The python3-saml module uses xmlsec, which offers Python bindings for the XML Security Library. xmlsec depends on libxml2-dev and libxmlsec1-dev. These libraries can be installed via the package manager of your distribution. For Ubuntu use:

```
$ sudo apt install libxml2-dev libxmlsec1-dev
```

### Shibboleth-Authenticator

Shibboleth-Authenticator module can be installed via PyPI:

```
$ pip install shibboleth-authenticator
```

Or the latest development branch directly from GitHub:

```
$ pip install git+git://github.com/tobiasfrust/shibboleth-authenticator@master
```

## How to use

### Configuration

## API Reference

If you look for information on a specific function, class or method, this part of the documentation is for you.

### API

#### Handlers

#### Views

#### Utils